

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0033

Starting Date: 02/01/1998

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
01	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
02	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
03	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
04	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
05	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
06	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
07	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
08	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
09	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
10	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
11	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
12	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
13	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
14	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
15	4	Generated from upcast due to poor downcast quality. PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
16	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
17	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
18	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
19	4	PAR sensor defective. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
20			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Analyst's Comments

(these are not applied to the database)

PAR sensor broken.

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0035

Starting Date: 06/26/1998

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.
 Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings.

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0036

Starting Date: 06/27/1998

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
01			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
02			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
03			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
04			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
05			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
06			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
07			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
08			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
09			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
13	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
16	4	PAR questionable. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
17	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
19	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
20	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
21	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
22			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings.

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0037

Starting Date: 10/28/1998

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings.

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0038

Starting Date: 12/08/1998

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.
 Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings.

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0039

Starting Date: 12/16/1998

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings.