

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0178 Starting Date: 3/24/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	4	Fluorescence bad	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

No D.O. sensor until June 2009 cruise (Dump 0182).
Fluorometer was defective for this one dump as per Seth Danielson.

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0179 Starting Date: 4/9/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

No D.O. sensor until June 2009 cruise (Dump 0182).

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0180 Starting Date: 4/10/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

No D.O. sensor until June 2009 cruise (Dump 0182).

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0181 Starting Date: 5/6/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

No D.O. sensor until June 2009 cruise (Dump 0182).

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0182 Starting Date: 5/31/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	4	PAR sensor disqualified for this dump because of bad data (leaky connector?).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

D.O. sensor installed starting with this cruise.

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0183 Starting Date: 7/15/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0184 Starting Date: 7/16/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0185 Starting Date: 7/16/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0186 Starting Date: 8/4/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0187 Starting Date: 9/9/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 1 Data Dump # 0188 Starting Date: 10/6/09

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).