

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5 Data Dump # 0189 Starting Date: 02/02/2010 Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5

Data Dump # 0190

Starting Date: 02/04/2010

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5 Data Dump # 0191 Starting Date: 03/04/2010

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5

Data Dump # 0192

Starting Date: 04/04/2010

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5 Data Dump # 0193 Starting Date: 05/03/2010 Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5

Data Dump # 0194

Starting Date: 06/06/2010

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5

Data Dump # 0195

Starting Date: 07/15/2010

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5

Data Dump # 0196

Starting Date: 08/07/2010

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5 Data Dump # 0197 Starting Date: 09/08/2010

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 5 Data Dump # 0198 Starting Date: 10/07/2010

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0		<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).